



TECHNICAL SHEET



‘ XL ,





1.



2.



3.



4.



5.



6.

display, Blabla-Cube

- 1 - 2 Units - S3 . E3 . I3 . A2412
- 2 - 2 Units - S3 . E3 . I3 . A2403
- 3 - 2 Units - S3 . E3 . I3 . A2403
- 4 - 3 Units - S2 . E2 . I2 . A2405
- 5 - 2 Units - S2 . E2 . I2 . A2409
- 6 - 3 Units - S3 . E3 . I3 . A2404

blabla XL

QUICK ASSEMBLY



3 people



45 min / Module*



677,5 kg CO2 eq*



2 Units

Exterior dimensions (2 units)

250 x 250 x 217 cm

Exterior dimensions (3 units)

250 x 375 x 217 cm

Interior dimensions (2 units)

238 x 242 x 206 cm / Height: 198 cm

Interior dimensions (3 units)

238 x 367 x 206 cm / Height: 198 cm

Weight (2 units)

910 kg

Weight (3 units)

1 460 kg

Surface area (2 units)

6.2 m²

Surface area (3 units)

9.3 m²

Door dimensions

90 x 204 cm – 8 mm cushioned Silence

Front window dimensions

68 x 206 cm – 8 mm cushioned Silence


Rear window dimensions

94 x 206 cm – 8 mm cushioned Silence

Side window dimensions

114 x 210 cm – 8 mm cushioned Silence

3 Units



MATERIALS

Outside covering

Compressed wood PPSMHD or 100% PES fabric

Inside coating

100% PES fabric

Structure

Solid wood frame PEFC

LOGISTICS

1 lectern: 260 x 120 X 150 cm / unit

Gross weight: 550 kg / unit

Volume: 4.7 m³ / unit

TECHNICAL DETAILS

Lighting

2 LED Spots 800 lm/Unit

Illumination range

Adjustable from 100 to 700 lux

Ventilation

Acoustic 13 dB – Flow 350 m³/h/Unit

Air change time

60 seconds

Connectivity

2 PC 220v / 1 USB-A, 1 USB-C, 1 RJ45

Touch switch for ventilation and lighting

Power use

0.044 kWh (2 units) – 0.065 kWh (3 units)

Cable length at cabin exit

3 meters

Puissance aimant de porte

50 kg

Warranty

3 years: Structure – 2 years: Equipment

*Excluding handling

** Per unit

CONFIGURATION DETAILS

1 - BOOTH FORMAT

2 Units





3 Units



2 - BOOTH REAR AND SIDES

All of the side panels on Blabla-XL cabins can be configured with full-height glazing (standard configuration) OR **optional** full-height fabric panels.



Blabla-XL side configuration table:

	Glass	Full
A		
B		
C		
D		
E		
F		
G		
H		

Side panels can be configured in Glass or Full Panels

Rears (A- B) : 96,5 x 205 cm

8 mm cushioned Silence OR Fabric panel (optional)

Sides (C-D-E-F-G-H) : 109 x 205 cm

8 mm cushioned Silence OR Fabric panel (optional)

Exemple :



	Glass	Full
A	X	
B	X	
C	X	
D	X	
E		X
F		X
G	X	
H	X	

CONFIGURATION DETAILS

3 – CONFIGURATION OPTIONS




Screen equipment *
Even better connectivity
Screen support + dedicated 220V socket
Cable pass for greater connectivity



Occupancy signal
360-degree visibility
Red LED Spotlight



Bench seat
Easy to move
Suitable for XL 2 units and XL 3 units.
Suitable for configuration with or without.
Dimensions : 57 x 95 x 108
Seat height: 45 cm



Meeting table
Optimised ergonomics
2 Units Table: 1 foot + column fixation.
Format: 180 x 90 x 2.8 cm
3 Units Table: 2 feet + column fixation.
Format: 275 x 90 x 2.8 cm
Height 73 cm



Accessibility Pack
Accessible to all !
90x30,5x3 cm ramp
Door closer: ouverture 120°




Interior writing board
Built-in ideas board
Magnetic painted steel
138 x H107 cm




ACCESSIBLE BOOTH

The Blabla XL is accessible to people with reduced mobility.



Accessibility Pack

- ✓ 90x30.5x3 cm ramp with 5-degree slope
- ✓ Door closer: opens to 120°
- ✓ Automatic door closing



Accessibility Pack

- ✓ Door width
- ✓ Disabled access ramp
- ✓ Manoeuvre diameter

The booth configuration options are not covered by the OFG reference.

* Screen not included.



blabla
- CUBE -



www.blabla-cube.com

contact@blabla-cube.com

ZA de la Plaine de Clairac

35 Rue Louis Blériot

26760 - BEAUMONT-LÈS-VALENCE - France

TEL : +33.04.75.78.44.44



IDET